

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## MORTALITY—Continued.

## Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.		Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever	Diphtheria.	Measles.	Whooping cough.	
Manaos.  Mazatlan  Manchester  Mexico  Do  Monterey  Montreal  Munich  Do  Do  Niagara Falls  Nottingham  Odessa  Do  Palermo  Do  Paris  Port of Spain  Do  Prague.  Rangoon  Do  Saigon  Do  Saigon  Do  Do  Saigon  Do  Do	June 15 June 26 June 15 June 25 June 1 June 25 June 29 June 15 June 8 June 15 J	52,000 22,000 714,427 719,052 100,000 466,197 610,000 575,000 340,000 2,888,110 60,000 225,817 293,316	45 17 207 456 450 450 144 184 172 174 150 140 123 869 36 28 8 76 159 146 48	3 2 16 18 12 4 13 30 31 27 3 30 22 26 6 9 197 5 6 6 13 10 11	4 5 10	1 1 36 32		1 19 24  1 1 1 1 6 4 2	10 8 3	1 1 3 2 6 1	7 4 5 1 1 1  4	3 1 2  1 1 4  2  1 5	3 11 22 2 1 1 22 1 1 1	32 22 22 3  3  1 	

## MORTALITY-FOREIGN AND INSULAR-COUNTRIES AND CITIES (Untabulated).

Great Britain.—Week ended June 8, 1912.

England and Wales.—The deaths registered in 95 great towns correspond to an annual rate of 12.4 per 1,000 of the population, which is estimated at 17,639,816.

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 15.5 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate, Clydebank, viz, 5.2, and the highest at Greenock, viz, 24.7 per 1,000. The total number of all deaths from all causes was 648, including diphtheria 5, measles 33, scarlet fever 5, typhoid fever 2.

Malta.—Month of May, 1912. Population 215,332. Total number of deaths from all causes 337, including diphtheria 1, measles 3, tuberculosis 12. Cases reported: Diphtheria 5, measles 39, scarlet fever 3, tuberculosis 30, typhoid fever 5.

New Zealand.—Month of April, 1912.

Auckland.—Population, 104,728. Total number of deaths 69, including diphtheria 2, tuberculosis 6, typhoid fever 1.

Christchurch.—Population, 82,004. Total number of deaths 51, including tuberculosis 1.

July 12, 1912 1128

Dunedin.—Population, 65,690. Total number of deaths 55, including tuberculosis 7.

Wellington.—Population, 71,427. Total number of deaths 45, including typhoid fever 2, tuberculosis 3.

Panama—Panama.—Three weeks ended June 15, 1912. Population, 30,000. Total number of deaths from all causes not reported. The deaths include tuberculosis 15. Cases reported: Diphtheria 2, typhoid fever 3.

SOUTH AFRICA—Johannesburg.—Two weeks ended May 18, 1912. Population, 237,220. Total number of deaths from all causes 138, including measles 1, tuberculosis 21, typhoid fever 3. Cases reported: Diphtheria 14, scarlet fever 25, tuberculosis 21, typhoid fever 30.

URUGUAY—Montevideo.—Month of April, 1912. Population, 343,849. Total number of deaths from all causes 448, including tuberculosis 71, typhoid fever 14. Cases reported: Measles 6, scarlet fever 14, tuberculosis 95, typhoid fever 39.

By authority of the Secretary of the Treasury:

RUPERT BLUE,
Surgeon General,
United States Public Health and Marine-Hospital Service.

ADDITIONAL COPIES of this publication may be procured from the SUPERINTEND-ENT OF DOCUMENTS, Government Printing Office, Washington, D. C., at 5 cents per copy.



